. 1/7

Figure 1

Number of Colony Forming Units (CFU) per ml Recovered After Exposure to Test Agent								
Staphylococcus aureus								
Initial counts		Results and Log₁₀ reduction						
	30 sec	Reduction	60 sec	Reduction	5 min	Reduction		
8.1 E+06	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9	1.00E+00 1.00E+00	6.9 6.9		
8.1 E+06	5.00E+06	0.2	6.30E+06 6.50E+06	0.1	6.20E+06	0.1		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
8.1E+06	1.80E+03	3.7	1.00E+00	6.9	1.00E+00	6.9		
8.1E+06	5.60E+04	2.2	3.70E+04	2.3	1.00E+02	6.9 4.9		
8.1E+06	6.80E+06	0.1	7.30E+06	0.0	5.50E+06	4.7 0.2 0.1		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9 6.9		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9 6.9		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
8.1 E+06	2.40E+03	3.5	1.00E+00	6.9	1.00E+00	6.9		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
8.1 E+06	1.00E+02	4.9	1.00E+00	6.9	1.00E+00	6.9 6.9		
8.1E+06	1.80E+04	2.7	6.10E+02	4.1	1.00E+00	6.9 6.9		
8.1 E+06	1.00E+00	6.9	1.00E4-00	6.9	1.00E+00	6.9 6.9		
8.1E+06	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9		
	Initial counts 8.1 E+06 8.1 E+06	Staphylocol Initial counts 30 sec 8.1 E+06	Initial counts Staphylococcus aut Staphylococ	Initial counts Results and Locunts Res	Initial counts Results and Log10 reduction	Initial counts Results and Log10 reduction		

Figure 2

Number of 0	CFU per r	nl Recov	ered After	Exposure	to Test A	gent	
	Ps	seudomoi	nas aerugi	nosa			
Test Agent	Initial counts		Results and Log ₁₀ reduction				
		30 sec	Reduction	60 sec	Reduction	5 min	Reduction
20% AMC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
1% ZnEDTA	4.2E+06	2.60E+06 1:50E+06	0.2 0.4	1.60E+06 1.00E+06	0.4 0.6	1.70E+06 1.80E+06	0.4 0.4
0.2% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
0.02% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
0.002% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
9.8% Isopropyl Alcohol	4.2E+06	1.30E+06 1.30E+06	0.5 0.5	1.30E+06 1.60E+06	0.5 0.4	1.40E+06 1.40E+06	0.5 0.5
1% ZnEDTA, 0.2% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
1% ZnEDTA, 0.2% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00		1.00E+00 1.00E+00	6.6 6.6
0.2% CPc, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00		1.00E+00 1.00E+00	6.6 6.6
1% ZnEDTA, 0.02% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
1% ZnEDTA, 0.02% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6
0.02% CPC, 9.8% IPA	4.2E+06	0.0					
1% ZnEDTA, 0.002% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6
1% ZnEDTA, 0.002% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6
0.002% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6
100% Hibiclens	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6
100% Betadine	4.2E+06	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6

Figure 3

Number of CFU per ml Recovered After Exposure to Test Agent								
Escherichia coli								
Test Agent	Initial counts		Res	ults and l	-og ₁₀ reduc	tion		
		30 sec	Reduction	60 sec	Reduction	5 min	Reduction	
20% AMC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
1% ZnEDTA	5.8E+06	2.60E+06	0.3	2.70E+06	0.3	2.30E+06	0.4	
		2.20E+06	0.4	2.30E+06	0.4	2.30E+06	0.4	
0.2% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
0.02% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
0.002% CPC	5.8E+06	3.50E+04	2.2	5.80E+02	4.0	1.30E+02	4.6	
	<u> </u>	4.60E+04	2.1	7.10E+02	3.9	5.90E+02	4.0	
9.8% Isopropyl Alcohol	5.8E+06	1.30E+06	0.6	1.90E+06	0.5	1.90E+06	0.5	
	·	1.60E+06	0.6	1.50E+06	0.6	1.80E+06	0.5	
1% ZnEDTA, 0.2% CPC,	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
9.8% IPA		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
1% ZnEDTA, 0.2% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
0.2% CPC, 9.8% IPA	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
1% ZnEDTA, 0.02% CPC,	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
9.8% IPA		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
1% ZnEDTA, 0.02% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
	<u>.i.</u>	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
0.02% CPC, 9.8% IPA	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
	1	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
1% ZnEDTA, 0.002% CPC,	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
9.8% IPA	1	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
1% ZnEDTA, 0.002% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
· · · · · · · · · · · · · · · · · · ·		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
0.002% CPC, 9.8% IPA	5.8E+06	3.70E+04	2.2	1.20E+02	4.7	1.50E+01	5.6	
	y -	3:50E+04	2.2	1.20E+02		1.50E+01	5.6	
100% Hibiclens	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
	1.	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8	
100% Betadine	5.8E+06	1.00E+00	6.8	1.00E+00		1.00E+00	6.8	
·	1.	1.00E+00	6.8	1.00E+00		1.00E+00	6.8	

Figure 4

Number of CFU per ml Recovered After Exposure to Test Agent								
		Trichophy	ton rubrur	n	_			
Test Agent	Initial counts		Re	sults and I	Log ₁₀ reduc	tion		
		30 sec	Reduction	60 sec	Reduction	10 min	Reduction	
20% AMC	2.2E+06	1.30E+03		1.40E+02	4.2	1.00E+00	6.3	
		1.30E+03	3.2	8.00E+02	3.4	1.00E+00	6.3	
1% ZnEDTA	2.2E+06	4.50E+05	,	6.00E+05	0.6	4.60E+05	0.7	
		4.50E+05	0.7	4.80E+05	0.7	4.10E+05	0.7	
0.2% CPC	2.2E+06	1.60E+03	3.1	8.00E+01	4.4	1.00E+00	6.3	
:		4.70E+02	3.7	3.50E+01	4.8	1.00E+00	6.3	
0.02% CPC	2.2E+06	8.20E+03	2.4	2.20E+03	3.0	1.00E+00	6.3	
		1.30E+04	2.2	3.80E+03	2.8	1.00E+00	6.3	
0.002% CPC	2.2E+06	2.60E+05	0.9	1.20E+05	1.3	5.10E+03	2.6	
		2.10E+05	1.0	1.30E+05	1.2	5.50E+03	2.6	
9.8% Isopropyl Alcohol (IPA)	2.2E+06	2.60E+05	0.9	3.40E+05	0.8	2.50E+05	0.9	
		4.80E+05	0.7	3.70E+05	8.0	3.90E+05	0.8	
1% ZnEDTA, 0.2% CPC, 9.8%	2.2E+06	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3	
<u>IPA</u>		1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3	
1% ZnEDTA, 0.2% CPC	2.2E+06	6.90E+03	2.5	4.50E+02	3.7	1.00E+00	6.3	
		4.70E+03	2.7	1.10E+03	3.3	1.00E+00	6.3	
0.2% CPC, 9.8% IPA	2.2E+06	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3	
<u> </u>	1	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3	
1% ZnEDTA, 0.02% CPC,	2.2E+06	5.50E+04	1.6	4.70E+03	2.7	1.00E+00	6.3	
9.8% IPA		3.90E+04	1.8	1.10E+04	2.3	1.00E+00	6.3	
1% ZnEDTA, 0.02% CPC	2.2E+06	7.60E+03	2.5	3.90E+03	2.8	1.00E+00	6.3	
·	į.	1.40E+04	2.2	4.30E+03	2.7	1.00E+00	6.3	
0.02% CPC, 9.8% IPA	2.2E+06	1.50E+03	3.2	2.20E+02	4.0	1.00E+00	6.3	
		1.20E+03	3.3	2.70E+02	3.9	1.00E+00	6.3	
1% ZnEDTA, 0.002% CPC,	2.2E+06	3.60E+04	1.8	2.30E+04	2.0	3.70E+02	3.8	
9.8% IPA	· · ·	4.70E+04	1.7	2.10E+04	2.0	1.30E+02	4.2	
1% ZnEDTA, 0.002% CPC	2 .2E+06	1.80E+05	1.1	9.10E+04	1.4	1.20E+04	2.3	
0.0029/ .CDC .0.09/ IDA		2.60E+05	0.9	2.20E+04	2.0	1.50E+04	2.2	
0.002% CPC, 9.8% IPA	2.2E+06	3.50E+05	0.8	5.50E+04	1.6	7.80E+02	3.5	
100% Hibiclens	2.2E+06	3.40E+05 4.00E+04	0.8	6.00E+04	1.6	4.10E+02	3.7	
10070 I RUICICIIS	2.25700	7.00E+04	1.7 1.5	7.30E+04 3.90E+04	1.5 1.8	4.10E+02 1.50E+03	3.7 3.2	
100% Betadine	2.2E+06	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3	
	2.20,00	1.00E+00	6.3	1.00E+00 1.00E+00	6.3	1.00E+00 1.00E+00	6.3	
Amphotericin B (2.5mg/L)	2.2E+06	4.50E+05	0.7	4.30E+05	0.7	1.80E+05	1.1	
– (=		4.70E+05	0.7	3.70E+05	0.7	2.10E+05	1.0	

Atty Dkt No: 049444/310999

Figure 5

Number o	Number of CFU per ml Recovered After Exposure to Test Agent								
Candida albicans									
Test Agent	Initial counts		Res	ults and l	_og₁₀ reduc	tion			
		30 sec	Reduction	60 sec	Reduction	5 min	Reduction		
20% AMC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
1% ZnEDTA	7.4E+06	5.70E+06	0.1	5.40E+06	0.1	5.10E+06	0.2		
0.004, 0.00		6.40E+06	0.1	4.50E+06	0.2	4.90E+06	0.2		
0.2% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
0.02% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
0.02% CPC	7.4E+06	1.00E+00 1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
0.002% CPC	7.4E+06	2.00E+01	6.9 5.6	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9		
	7.42.00	4.00E+01	5.0 5.3	1.00E+00	6.9	1.00E+00	6.9		
9.8% Isopropyl Alcohol (IPA)	7.4E+06	3.20E+06	0.4	3.90E+06	0.3	3.70E+06	0.3		
		3.50E+06	0.3	3.90E+06	0.3	3.90E+06	0.3		
1% ZnEDTA, 0.2% CPC,	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
9.8% IPA		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
1% ZnEDTA, 0.2% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
0.2% CPC, 9.8% IPA	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
•		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
1% ZnEDTA. 0.02% CPC,	7.4E+06	2.60E+02	4.5	9.00E+01	4.9	1.00E+00	6.9		
9.8% IPA		3.60E+02	4.3	1.30E+02	4.8	2.50E+01	-5.5		
1% ZnEDTA, 0.02% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
0.02% CPC, 9.8% IPA	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
1% ZnEDTA, 0.002% CPC,	7.4E+06	6.20E+02	4.1	1.60E+02	4.7	5.50E+01	5.1		
9.8% IPA		4.50E+02	4.2	2.60E+02	4.5	1.00E+01	5.9		
1% ZnEDTA, 0.002% CPC	7.4E+06	6.10E+02	4.1	3.70E+02	4.3	1.00E+00	6.9		
		1.40E+03	3.7	6.10E+02	4.1	5.50E+01	5.1		
0.002% CPC, 9.8% IPA	7.4E+06	1.50E+03	3.7	3.00E+01	5.4	1.00E+00	6.9		
		1.90E+03	3.6	2.50E+01	5.5	1.00E+00	6.9		
100% Hibiclens	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
100% Betadine	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9		
Fluconazole (2mg/ml)	7.4E+06	3.10E+06	0.4	3.40E+06	0.3	2.70E+06	0.4		
		3.20E+06	0.4	3.10E+06	0.4	2.60E+06	0.5		

	MnM	mber of CFU per mL	U per		ered/	After Expos	sure to	Recovered After Exposure to Test Agent	*	- -			
				Bacill	Bacillus subtilis	otijis				•			
		7 11				Results a	nd Log	and Log10 reduction (LR)	8				
Test Agent	Initial Counts	1 min	LR.	10 min	LR	1 hr	LR	2 hr	LR	3 Mr	LR	24 hr	LR
20% AMC	1.4E+08	3.30E+04	1.8	1.40E+03	3.0	1.30E+03	3.0	1.30E+03	3.0	1.20E+03	3.1	3.50E+02	3.6
		5.80E+04	1.4	1.30E+03	3.0	1.40E+03	3.0	1.20E+03	3.1	1.10E+03	3.1	5.00E+02	3.4
1% ZnEDTA	1.4E+06	1.40E+06	0.0	1.30E+06	0.0	1.30E+06	0.0	1.30E+08	0.0	1.20E+06	0.1	4.70E+05	0.5
		1.30E+06	0.0	1.30E+06	0.0	1.30E+06	0.0	1.30E+06	0.0	1.20E+06	0	6.60E+05	
0.2% CPC	1.4E+06	4.60E+04	1.5	1.50E+03	3.0	8.70E+02	3.5	9.10E+02	3.2	8.80E+02	3.2	7.00E+01	4, 4 6, 1
O 03% CDC	30.27	3.80=+04	0 0	1.50E+03	ى 0.0	8.90E+02	3.5	8.50E+02	7,0	8.00=+02	3,5	3.00=+01	1,0
0.02% CPC	1.45+06	3.50E+05 4.20E+05	0.5	3.20E+03	7 7 7 8 7 9	2.80E+03	2.7	1.50E+03	9 Y	1.90E+03	2.9	9.00E+02 6.00E+02	ა დ 4 4
0.002% CPC	1.4E+06	5.70E+05	4.0	4.10E+05	0.5	9.00E+03	2.2	2.60E+03	2.7	1.70E+03	2.9	7.60E+02	3.3
			0.4	3.40E+05	9.0	7.30E+03	2.3	2.00E+03	2.8	1.00E+03	3.1	7.50E+02	3.3
9.8% Isopropyl alcohol	1.4E+06	1.40E+06	0.0	1.20E+06	0.0	1,40E+06	0.0	5.40E+05	4.4	3.50E+05	0.0	7.40E+04	<u>ر</u> دن ذ
1% ZhEDTA 03% CDC	1 4E±08	4 205+04	2 4	2 20E+00	2,0	2 40E+03	5 6	3.40E+03	ر ا ا	2 10E+03	2 °	8 50E+07	5 6
9:8% Isopropyl alcohol	2	3.30E+04	, C	3.30E+03	200	3.60E+03	2.6	3.40E+03	2 6	3.20E+03	9 9	9.00E+02	3 6
1% ZnEDTA	1.4E+06		-	3,10E+03	2.7	2.60E+03	2.7	1.30E+03	30	1.40E+03	000	1,00E+01	5.1
0.2% CPC		9.80E+04	1.2	3.40E+03	2.6	2.80E+03	2.7	1.70E+03	2.9	1.30E+03	3.0	1.50E+01	5.0
9.8% Isopropyl alcohol	1.4E+06		1.6	2.00E+03	2.8	1.50E+03	3.0	1.60E+03	2.9	1.60E+03	2.9	9.00E+02	3.2
0.2% CPC		4.90E+04	1.5	2.20E+03	2.8	1.70E+03	2.9	1.70E+03	2.9	1.40E+03	3.0	9.60E+02	3.2
1% ZnEDTA, 0.02% CPC	1.4E+06		6.0	2.80E+03	2.7	2:50E+03	2.7	1.60E+03	2.9	1.10E+03	3.1	3.00E+02	3.7
9.8% Isopropyt alcohol			0.8	2.80E+03		2.50E+03	2.7	1.50E+03	3.0	1.50E+03	3.0	3.40E+02	3.6
1% ZnEDTA	1.4E+06	3.30E+05	9.0	3.50E+03	2.6	1.10E+03	3.1	9.60E+02	3.2	9.40E+02	3.2	7.80E+02	3.3
0.02% CPC		3.20E+05	9.0	3.50E+03	2.6	1.00E+03	3.1	9.10E+02	3.2	9.60E+02	3.2	6.90E+02	3.3
9.8% isopropyl alcohol	1.4E+06	3.30E+05	9 0	3.50E+04	6. 6.	1.70E+03	0 6	1.60E+03	2.9	1.30E+03	0 0	9.80E+02	8 8 6 7
1% ZhEDTA, 0.002% CPC	1.4E+06		0.4	3.40E+03	2.6	2.80E+03	2.7	2.60E+03	2.7	2.40E+03	2.8	1.40E+03	3.0
9.8% Isopropyi alcohol		4.10E+05	0.5	3.60E+03	2.6	2.60E+03	2.7	2.60E+03	2.7	2.20E+03	2.8	1.50E+03	3.0
1% ZnEDTA	1.4E+08	4.00E+05	9.0		1.6	1.90E+03	2.9	1.60E+03	2.9	1.40E+03	3.0	1.20E+03	3.1
0.002% CPC			0.5	3.30E+04	1.6	2.10E+03	2.8	1.60E+03	2.9	1.20E+03	3.1	1.10E+03	3.1
9.8% isopropyi alcohol	1.4E+06	3.70E+05	9.0		1.6	2.00E+03	2.8	1.30E+03	3.0	1.10E+03	3.1	9.00E+02	3.2
0.002% CPC			9.0		1.1	1.90E+03	2.9	9.80E+02	3.2	1.10E+03	3.1	8.60E+02	
100% Hibiclens	1.4E+06		د. د		4. 4	2.60E+03	2.7	3.60E+02	9.0	6.50E+01	4	1.00E+00	9.4
\$1000°			5.6		5.6	2.40E+03	2.7	6.70E+02	2.5	7.00E+01		1.00m+00	0
100% AMC	1.4E+06	5.60E+03	4 5	1.80E+03	2.0	3.00E+01	4. - L	1.00E+00	6 4	1.90 1.90 1.90 1.90 1.90 1.90 1.90 1.90	, o	1.00=+00	
-		6.20E+U3	4.4	3.00にてひる	7.7	Z.50E+01	4./	1.00円十00	<u>-</u>	1,000年100	õ	1.00にすいい	- 0

Figure 7

		ny Forming Unit		
Challenge Microorganism	Test Agent	Exposure Time	Avg. CFU	Confirmation Count (Avg. CFU)
S. aureus	20% AMC	≤30 seconds	58	
		30 minutes	62	•
	100% Hibiclens	≤30 seconds	61	62
		30 minutes	61	02
	100% Betadine	≤30 seconds	62	
		30 minutes	56	
E. coli	20% AMC	≤30 seconds	41	
		30 minutes	41	
	100% Hibiclens	≤30 seconds	45	43
•		30 minutes	43	.43
	100% Betadine	≤30 seconds	42	(
·		30 minutes	42	•
T. rubrum	20% AMC	≤30 seconds	17	
		30 minutes	15	
	100% Hibiclens	≤30 seconds	15	
. *		30 minutes	15	16
	100% Betadine	≤30seconds	14	10
		30 minutes	15	
	Amphotericin B	≤30 seconds	16	
	2.5 mg/L	30 minutes	14	